

**Half Yearly Compliance Report****2025****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

<b>Proposal Name</b>	New project for manufacturing of chemical intermediates at Plot No. FS-1 and FS-2, Additional MIDC Mahad, Raigad by Aastrid Life Sciences Pvt. Ltd.		
<b>Name of Entity / Corporate Office</b>	Col Digvijay Katkar		
<b>Village(s)</b>	N/A		
<b>District</b>	RAIGAD		
<b>Proposal No.</b>	SEIAA-EC-0000001492	<b>Category</b>	Industrial Projects - 3
<b>Plot / Survey / Khasra No.</b>	N/A	<b>Sub-District</b>	N/A
<b>State</b>	MAHARASHTRA	<b>Entity's PAN</b>	*****3536A
<b>MoEF File No.</b>	SEIAA-EC-0000001492	<b>Entity name as per PAN</b>	AASTRID LIFE SCIENCES PRIVATE LIMITED

**Compliance Reporting Details**

<b>Reporting Year</b>	2025
<b>Remarks (if any)</b>	Submitting six monthly EC Compliance for the period April 2025 to September 2025 by Aastrid Life Sciences Pvt. Ltd. FS-1 and FS-2, Additional MIDC Mahad.
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)

**Details of Production and Project Area**

**Name of Entity / Corporate Office** Col Digvijay Katkar

	<b>Project Area as per EC Granted</b>	<b>Actual Project Area in Possession</b>
Private	2.3228	2.3228
Revenue Land	0	0
Forest	0	0
Others	0	0
<b>Total</b>	<b>2.3228</b>	<b>2.3228</b>

**Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	4,6-dichloro-5-methoxypyrimidine	Tons per Annum (TPA)	31/10/2026	60	16.431 tonnes for six month (April 2025-September)	60
2	5,6-Dimethoxy Indanone	Tons per Annum (TPA)	31/10/2026	60	1.577 tonnes for six month (April 2025-Sept 2025)	60
3	2-Amino-2'-chloro-5-nitro benzophenone	Tons per Annum (TPA)	31/10/2026	36	4.952 tonnes for six month (April 2025-Sept 2025)	36
4	(S)-n-ethyl-2-aminomethyl pyrrolidine	Tons per Annum (TPA)	31/10/2026	60	10.34 tonnes for six month (April 2025-Sept 2025)	60
5	5 nitro 2 methoxy phenol	Tons per Annum (TPA)	31/10/2026	24	1.309 tonnes for six month (April 2025-Sept 2025)	24
6	5-Chloro-3-Sulfonamide Acetate Thiophene-2-Carboxylate	Tons per Annum (TPA)	31/10/2026	60	1.455 tonnes for six month (April 2025-Sept 2025)	60
7	4-Bromophthalic Anhydride	Tons per Annum (TPA)	31/10/2026	12	4.278 tonnes for six month (April 2025-Sept 2025)	12

## Conditions

### Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Human Health Environment	PP to prepare protocol/SOP for the storage, handing and use of the Nitromethane.

**PPs Submission:** Complied  
We have prepared a detailed Protocol/SOP for the safe storage, handling, and use of Nitromethane.

Date:  
24/12/2025

The same has been enclosed as an Annexure in the previous EC Compliance Report for the period April 2024 to September 2024.		
2	Risk Mitigation and Disaster Management	PP to submit On-Site Emergency Plan to the District Authorities.
<b>PPs Submission:</b> Complied The On-Site Emergency Plan has been submitted to the District Authorities at the Collectors Office, Raigad. A copy of the same was also included as an Annexure in the previous six-monthly EC Compliance Report for the period October 2024 to March 2025.		Date: 24/12/2025
3	GREENBELT	PP to plant domestic/indigenous species of trees in the green belt.
<b>PPs Submission:</b> Being Complied We have committed to develop green belt of indigenous species of trees. Accordingly, we are developing the green belt with indigenous species.		Date: 24/12/2025
4	Human Health Environment	PP to include monitoring of water and carbon foot print in the EMP.
<b>PPs Submission:</b> Complied Water and Carbon footprint monitoring in the EMP is incorporated. The capital cost for water foot print monitoring is 0.3 lakhs and same for carbon foot print monitoring we have cost of Rs.14 lakhs.		Date: 24/12/2025
5	Corporate Environmental Responsibility	PP to prepare and implement CER plan in consultation with the District Collector with timelines as per OM issued by MoEF and CC dated 01.05.2018.
<b>PPs Submission:</b> Being Complied The CER plan has been submitted to the District Collector for approval, and the acknowledgment of the same was included in the previous report.		Date: 24/12/2025
6	ENERGY PRESERVATION MEASURES	PP to use new and renewable energy source for illumination of street lights and office building.
<b>PPs Submission:</b> Complied A solar panel system with a capacity of 125 kW has been installed at the project site. The electricity generated by this system is utilized for the illumination of the office building and street lighting within the premises.		Date: 24/12/2025
7	Statutory compliance	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF and CC dated 9th August, 2018.
<b>PPs Submission:</b> Complied A separate compliance matrix of the conditions stipulated in the Office Memorandum is sued by MoEF and CC dated 9th August 2018 has been prepared and presented in the subsequent pages		Date: 24/12/2025
<b>General Conditions</b>		
Sr.No.	Condition Type	Condition Details
1	GREENBELT	Green belt shall be developed and maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
<b>PPs Submission:</b> Complied Total green belt area provided is 7699.79 sq. m, which is 33 percentage of total plot area; Plants are		Date: 24/12/2025

selected as per CPCB guideline and consultation with the local DFO/ Agriculture Department.		
2	<b>WATER QUALITY MONITORING AND PRESERVATION</b>	PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.
<b>PPs Submission:</b> Complied The unit has already achieved Zero Liquid Discharge (ZLD) status. The PP has ensured that there is no increase in the effluent load due to ongoing operations or the proposed activities. Analysis reports are Enclosed as Annexure-I.		Date: 24/12/2025
3	Statutory compliance	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
<b>PPs Submission:</b> Complied No additional land will be acquired for any activity of the project without obtaining proper permission.		Date: 24/12/2025
4	Human Health Environment	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
<b>PPs Submission:</b> Complied Various proactive measures have been implemented to ensure the health and safety of personnel working within the unit, as well as to protect the surrounding environment. These measures include: Provision of first aid boxes at multiple strategic locations across the premises. Establishment of a dedicated check-up room to address immediate medical needs. Installation of safety showers and eye washers at critical operational points. Deployment of a comprehensive firefighting system, including sprinklers, strategically placed to effectively manage fire emergencies. Availability of a wide range of Personal Protective Equipment (PPE), such as safety goggles, splash protection goggles, face shields, and airline respirators, to ensure worker safety during both routine and specialized operations. Photographic evidence of several of these health and safety facilities was submitted in the previous six-monthly EC Compliance Report (9th Compliance Report) for the period October 2023 to March 2024. In addition, Regular health check-ups are conducted for employees and workers to monitor their fitness for duty. Health records are maintained in compliance with regulatory requirements under Form VII and are enclosed herewith as Annexure-II. Ongoing training programs are conducted at regular intervals to enhance awareness and preparedness regarding occupational health, safety practices, and emergency response measures.		Date: 24/12/2025
5	Human Health Environment	Proper Housekeeping programmers shall be implemented.
<b>PPs Submission:</b> Complied Good Housekeeping is implemented for clean and safe work place environment.		Date: 24/12/2025
6	Human Health Environment	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
<b>PPs Submission:</b> Complied In the event of incidental failure of any pollution control system adopted by the unit, the unit will be immediately put out of operation and will not be restarted until the desired efficiency has been achieve.		Date: 24/12/2025
7	<b>AIR QUALITY MONITORING AND PRESERVATION</b>	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
<b>PPs Submission:</b> Complied Adequate common stack height of 8 m above the enclosure is provided for 1 No. of D.G set of 810		Date: 24/12/2025

KVA.		
8	WATER QUALITY MONITORING AND PRESERVATION	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
<p><b>PPs Submission:</b> Complied</p> <p>It is estimated that approximately 13,694 m<sup>3</sup>/season of rainwater will be generated from the rooftop catchment area. To utilize this resource, Aastrid will install a rainwater collection tank with a capacity of 350 KL. The harvested rainwater will be utilized for toilet and urinal flushing as well as cooling tower make-up water, thereby reducing the dependency on freshwater sources. As per MIDC regulations, groundwater recharge is not permitted in industrial areas; hence, the harvested rainwater will not be used for recharge purposes. The photograph of Rain water Harvesting Tank is enclosed as an Annexure-III</p>		Date: 24/12/2025
9	WATER QUALITY MONITORING AND PRESERVATION	Arrangement shall be made that effluent and storm water does not get mixed.
<p><b>PPs Submission:</b> Complied</p> <p>To prevent any possibility of wastewater mixing with storm water, the unit has implemented a dedicated system. Separate closed pipelines have been installed to transport wastewater directly from the source of generation to the ETP, minimizing any risk of cross-contamination. Additionally, exclusive storm water drains have been constructed to ensure the safe and effective discharge of rainwater. This segregation of wastewater and storm water systems ensures full compliance with applicable environmental regulations and promotes safe operational practices.</p>		Date: 24/12/2025
10	WATER QUALITY MONITORING AND PRESERVATION	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
<p><b>PPs Submission:</b> Complied</p> <p>Periodic groundwater monitoring is not applicable, as the project is located within a designated MIDC .</p>		Date: 24/12/2025
11	Noise Monitoring & Prevention	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
<p><b>PPs Submission:</b> Complied</p> <p>The ambient noise monitoring was carried out and the noise levels ranged from 69.9 dB near Utility Area to 65.6 dB at Near Main Gate No.1 at day time and noise levels ranged from 68.1 dB near Utility Area to 62.6 dB near Main Gate No.2 and were found to be within the stipulated limit for the industrial area (75 dB as promulgated by CPCB. Noise levels is being maintained by carrying out (a) periodical preventive maintenance of equipment and machineries, (b) providing vibration absorption pads, (c) providing proper lubrications, and by (d) providing required ear muffs/ear plugs for protection of hearing. Monitoring reports attached as an Annexure I.</p>		Date: 24/12/2025
12	Noise Monitoring & Prevention	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
<p><b>PPs Submission:</b> Complied</p> <p>Noise levels will be kept under control by carrying out (a) periodical preventive maintenance of equipment and machineries, (b) providing vibration absorption pads, (c) providing proper lubrications. A survey of Noise level in the study area will be carried out once in a year to ensure</p>		Date: 24/12/2025

that the noise levels are within stipulated standards prescribed under Environment (Protection) Act, 1986 Rules, 1989. Monitoring reports attached as an Annexure I.		
13	Risk Mitigation and Disaster Management	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
<p><b>PPs Submission:</b> Complied</p> <p>Various safety measures have been implemented at the site to prevent accidents and ensure the safety of personnel. A separate SOP for accident/incident control is in place, along with an on-site emergency plan. All necessary safety installations have been provided at designated locations. Equipment testing is carried out by authorized personnel as per the provisions of the Factories Act. Regular mock drills are conducted, and safety training is provided periodically to all concerned staff. An adequate firefighting system has been installed across the premises. Safety audits are planned and conducted as required. A leak detection system is installed at strategic locations to enable early detection and warning of hazardous leaks. Additionally, a VOC (Volatile Organic Compounds) detection meter is available on-site to monitor the presence of gases in the workplace, and an oxygen meter is provided to monitor oxygen levels in confined spaces and detect leakages. Photographs of the leak detection system were included in the previous compliance report, and the latest mock drill report is enclosed herewith as Annexure-IV</p>		Date: 24/12/2025
14	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
<p><b>PPs Submission:</b> Complied</p> <p>In accordance with the provisions of the Factories Act, annual health check-ups are carried out for all employees and workers, including contractual staff. These medical examinations are conducted with the objective of ensuring that all personnel are fit for their designated roles and to facilitate the early detection of any potential occupational health issues. The health assessments are an integral part of the units commitment to maintaining a safe and healthy work environment. Records of these check-ups are meticulously maintained in compliance with applicable statutory requirements. The Form No. VII is enclosed herewith as Annexure-II</p>		Date: 24/12/2025
15	Human Health Environment	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
<p><b>PPs Submission:</b> Complied</p> <p>Adequate provisions have been implemented to ensure that any potential risk zone remains confined within the plant boundary, effectively mitigating fire hazards that may arise during manufacturing processes and material handling activities. The facility is equipped with a comprehensive fire safety infrastructure, which includes fire hydrants, fire hoses, foam mobile units, and a total of 81 fire extinguishers strategically installed across various locations within the factory premises. These safety measures are designed to facilitate a rapid and effective response in the event of a fire emergency. Photographs of the fire hydrant system was submitted in the previous six-monthly EC Compliance Report.</p>		Date: 24/12/2025
16	WASTE MANAGEMENT	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections /treatment / storage /disposal of hazardous wastes.
<p><b>PPs Submission:</b> Complied</p> <p>We have a valid authorization from the Maharashtra Pollution Control Board (MPCB) for the collection, treatment, storage, and disposal of hazardous wastes. We are committed to strict compliance with all applicable rules and regulations pertaining to the handling and disposal of hazardous wastes, in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. The membership certificate of Mumbai Waste Management</p>		Date: 24/12/2025

<p>Limited which is valid up to 31st March 2026 is enclosed as Annexure-V. Additionally, the annual return in Form IV for the financial year ending 31st March 2025 was submitted online to MPCB on 28.06.2025. A copy of the submitted Form IV is attached herewith as Annexure-VI</p>		
17	Risk Mitigation and Disaster Management	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
<p><b>PPs Submission:</b> Complied Regular mock drills are conducted as part of the on-site emergency management plan, with a frequency of twice a year. These drills are aimed at evaluating the effectiveness of the plan and ensuring preparedness among all personnel. Any necessary changes or improvements identified during these drills are incorporated into the on-site emergency management plan on an ongoing basis. The report of the most recent mock drill is enclosed herewith as Annexure-IV.</p>		Date: 24/12/2025
18	Human Health Environment	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
<p><b>PPs Submission:</b> Complied A dedicated Environmental Cell has been established at the project level, comprising qualified personnel and functioning under the supervision of the EHS Head. The EHS Head reports directly to the Head of Operations to ensure effective implementation of the stipulated environmental safeguards. The Environmental Management Cell is fully operational, and the organizational structure, along with the defined roles and responsibilities of each member, is enclosed herewith as Annexure-VII.</p>		Date: 24/12/2025
19	Human Health Environment	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB and this department
<p><b>PPs Submission:</b> Complied Separate funds have been allocated for the implementation of Environmental Protection Measures and the EMP, with an item-wise breakup. These costs have been included as part of the overall project cost. The funds earmarked for environmental protection will be exclusively utilized for that purpose and will not be diverted for any other activities. Year-wise expenditure details will be submitted to the MPCB and the concerned department as required. The detailed EMP along with the financial allocation is enclosed herewith as Annexure-VIII.</p>		Date: 24/12/2025
20	Statutory compliance	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>
<p><b>PPs Submission:</b> Complied The advertisement regarding the grant of Environmental Clearance (EC) was published in two newspapers, in compliance with the stipulated conditions. The notice appeared in the English daily The Indian Express and the Marathi daily Dainik Loksatta on 11th May 2019, which is within seven days from the date of issue of the Environmental Clearance.</p>		Date: 24/12/2025
21	Statutory compliance	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the MPCB and this department, on 1st June and 1st December of each calendar year.

<p><b>PPs Submission: Complied</b> The Project Proponent is submitting the 12th half-yearly compliance report pertaining to the stipulated terms and conditions of the prior Environmental Clearance. The report is being submitted in soft copy format by uploading it on the Parivesh portal of MoEF and CC and via email to the following regulatory agencies: Regional Director, CPCB; Regional Office and Sub-Regional Office of MPCB. Hard copies of the same compliance report are also being submitted to the Regional Office, Sub-Regional Office, and the Environment Department, Government of Maharashtra. The email transmittal of the previous, i.e., 11th compliance report, is enclosed as Annexure-IX.</p>		<p>Date: 24/12/2025</p>
22	Statutory compliance	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
<p><b>PPs Submission: Complied</b> No suggestions or representations were received from the concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body, or any local NGO during the processing of the proposal. Hence, the EC copy was not shared with these stakeholders. However, a copy of the Environmental Clearance letter has been uploaded on the companys official website for public access. Website : <a href="http://www.astridlifesciences.com">www.astridlifesciences.com</a></p>		<p>Date: 24/12/2025</p>
23	Statutory compliance	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
<p><b>PPs Submission: Complied</b> The EC letter has already been uploaded on the companys official website. The status of compliance with the stipulated EC conditions, including the results of monitored environmental data, is also made available on the Aastrid website and will be updated regularly. Key pollutant levels namely SPM, RSPM, SO<sub>2</sub>, and NO<sub>x</sub> (both ambient and stack emission levels) are being regularly monitored and are displayed prominently at the companys main gate for public awareness. Enclosed as Annexure-XVI</p>		<p>Date: 24/12/2025</p>
24	Statutory compliance	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
<p><b>PPs Submission: Complied</b> We are regularly submitting six-monthly reports on the status of compliance with the stipulated EC conditions, including the results of monitored environmental data. These reports are submitted in both hard copy and electronic formats to the following authorities: (a) The Regional Office of the Ministry of Environment, Forest and Climate Change (MoEF and CC), (b) The Zonal Office of the Central Pollution Control Board (CPCB), and (c) The respective State Pollution Control Board (SPCB).</p>		<p>Date: 24/12/2025</p>
25	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the

		company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	
<p><b>PPs Submission:</b> Complied</p> <p>The Environmental Statement for the financial year ending 31st March has been submitted by the Project Proponent to the Maharashtra State Pollution Control Board (MPCB) on 28.09.2025, in Form-V, as prescribed under the Environment (Protection) Rules, 1986, and its subsequent amendments. A copy of the submitted Form-V is enclosed herewith as Annexure -X. The Environmental Statement in Form-V will also be uploaded on the companys official website and shared with the Regional Office of MoEF and CC via email. Additionally, the status of compliance with Environmental Clearance (EC) conditions will be regularly updated on the company website and communicated to the Regional Office of MoEF and CC by email.</p>			Date: 24/12/2025
26	Statutory compliance	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon.ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	
<p><b>PPs Submission:</b> Agreed to Comply</p> <p>Noted for information</p>			Date: 24/12/2025
27	Statutory compliance	In case of submission of false document and non-compliance of stipulated conditions, Authority/Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	
<p><b>PPs Submission:</b> Agreed to Comply</p> <p>Noted and agreed</p>			Date: 24/12/2025
28	Statutory compliance	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	
<p><b>PPs Submission:</b> Agreed to Comply</p> <p>Noted and agreed</p>			Date: 24/12/2025
29	Statutory compliance	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF and CC Notification dated 29th April, 2015.	
<p><b>PPs Submission:</b> Agreed to Comply</p> <p>Noted and agreed</p>			Date: 24/12/2025
30	Statutory compliance	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	
<p><b>PPs Submission:</b> Agreed to Comply</p> <p>Noted and agreed</p>			Date:

		24/12/2025
31	Statutory compliance	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
<b>PPs Submission:</b> Complied Noted and agreed. PLI Copy is enclosed as an Annexure-XI		Date: 24/12/2025
32	Statutory compliance	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed		Date: 24/12/2025
<b>Visit Remarks</b>		
<b>Last Site Visit Report Date:</b>		N/A
<b>Additional Remarks:</b>		
<p style="text-align: center;"><b>Note:</b> This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		